19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19 Printed/Typed Na

SAFETY HEALTH AND ENVIRONMENTAL AFFAIRS NOT WRITE BELOW THIS LINE.

JUN 1 3 2001

TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS.

(Generators who submit hazardous waste for transport out-of-state produce completed copy of this copy and send to DTSC within 30 days.)

 \underline{Z}

T Υ

B.N1-20-335 128077 SALCO PUBLIC SCALE WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY that the following described commodity was weighed, measured, or 19204 S. FIGUEROA STREET counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of GARDENA, CA 90248 (310) 352-4483 • FAX (310) 532-2841 Measurement Standards of the California Department of Food and Agriculture かとノック Weighed for: Delivered to: DRIVER CARRIER BLNO. PD CHG □ WEIGHT IN LBS. TIME WYCKOEF, INC. WEIGHMASTER GROSS > 19204 S. FIGUEROA STREET Weighed at: Time: 2:40 PM Date:05/30/01 GARDENA, CALIFORNIA 90248 67200Lb ΒY TARE Times 1149 PM Date: 05/30/01 VEHICLE LICENSE NUMBERS 23900Lb TRAILER TŔŲC TRAILER ÚNITS COMMODITY MARK TARE LUX TRACTOR UNIT NET DRIVER - COPY

THE BOEING COMPANY

LONG BEACH DIVISION

3855 LAKEWOOD BOULEVARD

LONG BEACH, CA 90846

562-593-4325

WEIGHT TICKET

	1.		
VENDOR:	GROSS WEIGHT (HEAVY WEIGHT): (TRUCK, BIN(S) AND WASTE)	+	\$67200
	TRUCK TARE (LIGHT WEIGHT): TRUCK#:	-	23900
	FIRST BIN BIN TARE (EMPTY WEIGHT): BIN#: 1-20-335 TRACKIT#: 00- DR-13631	-	4,080
CONTENTS:	SECOND BIN BIN TARE (EMPTY WEIGHT): BIN#: TRACKIT #: 00	-	
DISPOSAL FACILITY:	NET WEIGHT OF THE LOAD: (WEIGHT OF THE WASTE ONLY)	T O T A L	39720
MANIFEST #: 20879708			A ENTER THIS WEIGHT ON THE MANIFEST OR SHIPPING PAPERS
COMMENTS:			
DMH WEIGHTTICKETC30100	SICHAFURE;	TIME:	DATE: ADA
NAME: HAVGa	TV TWEETA SHILLS	TIME	140pm 05/04/01

20879738 In case of emergency or spill, call the national response center 1-800-424-8802: Within California, Call 1-800-852-7550

See Instructions on back of page 6.

Department of Toxic Substances Control Sacramento, California

f or type. Form designed for use on elite [12-pitch] typewriter.	•		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				Sacramento, California
UNIFORM HAZARDOUS	r's US EPA ID No.	al.	fest Document	No.	2. Page 1		on in the shaded areas uired by Federal law.
3. Generator's Name and Mailing Address	وهل ماهادي عواهد عاهد الال يداية المقدر بمقاد المهاد	es l Ør	Hear I go		Manifest Document N	lumber _	
Douglas Aircraft Co., C6, Mrs passame						- 2	20879 70 8
1856 Lakewood Blvd. Leavy Beach. Cd. 90846 B. Stote Generator's ID.							
Generator's Phone ((552) 435-6524 H A H Q 3 5					ឲាកាក		
5. Transporter 1 Company Name	6. US EPA ID Number				ransporter's ID [Rese		
						alseatt.	
Ecology Control Industries	CADIGIRIZIO	12.6	1 7 B	D. Transp	oorter's Phone	1041	n 320-2666
7. Transporter 2 Company Name	8. US EPA ID Number		% # 6 ₆ 9*	E. State 1	ransporter's ID [Rese	rved.]	*
		- N					
				F. Transp	orter's Phone	1	
P. Designated Facility Name and Site Address	10. US EPA ID Number			G. State	Facility's ID		
Chemical Waste Management		10			<u> </u>	11.	
15251 Oki Skyline Rd.	44.	激力		H. Facilit	y's Phone	r ann ann an	e w lake and also lake hear in la
Cedferium, City, CA 93239	<u> </u>	46	1 1 7			(55%	1) 386-9711
1. US DOT Description (including Proper Shipping Name, Hazo	ard Class, and ID Number)	**	12. Con		13. Total	14. Unit	
			No.	Туре	Quantity	Wt/Vol	I. Waste Number State
RQ, Hazardous waste solid, n.o.s. (Chron	itum) 9, NA3077 PGIII	\#			A 49		State
(D007)		-\sum_{k=1}^{k}	Caran	~ h A	39220	5-3	EPA/Other
		*	001	W. 141.	r / MANU	B	Taid.
b.		3		\$ 150		jik jik	State
							EPA/Other
						Ž.	
c.		1974. T	1 1 1 20				State
		*		10			EPA/Other
				·			Er A/ Onter
d.		4,				9	State
						de.	
		A		1			EPA/Other
Additional Descriptions for Materials Listed Above				K. Handl	ng Codes for Wastes	Listed Abo	oye
				a,		6 .	
a Profile number EATIGA Controlle impregnated	with discussion						
				C.		d.	
5. Special Handling Instructions and Additional Information		4.0				1	
Likewise by Mission and intercentive of the conference between the same because of the title of the	and all all the second and the second	4	projecting right a part	ransuma ar e e	2.96.0		
Hour Emergency Telephone Mumber (800) 42	M- VINN (LINNINNES) makesa (* A. CHNAY*)		and the second	RG#1 h			
e Address: 19503 South Normandia Aye Ton	ARTINGS, NOTE OF FACE	8	an gan	n yana i	off off bin	je je	
6. GENERATOR'S CERTIFICATION: I hereby declare that the co		and acc	urately describ	ned above l	ov proper shipping no	rme and ar	e classified nacked
marked, and labeled, and are in all respects in proper cond	lition for transport by highway acc	cording to	o applicable i	nternation	and national gover	nment regu	lations.
		17 31				*	
If I am a large quantity generator, I certify that I have a proportion of the practicable method	of treatments storage, or disposal	currently	available to	me which	minimizes the presen	t and futur	e threat to human health
and the environment; OR, if I am a small quantity generato available to me and that I can afford.	r, I have made a good faith effor	t to mini	nize my wast	e generatio	n and select the best	waste ma	nagement method that is
inted/Typed Name	Signiciture	1	-AA	<i>(</i>)		- (S) - (S) Man	-th D- V
Viraalakt	111/1 Dr 100	. 1	nlall	t .		1 1 1 no	nth Day Yed
7. Transporter 1 Acknowledgement of Receipt of Materials		May Managed		1	<i>p</i>	+U	
inted/Typed Name	Signature } **	11/2	10	1 1	*	Mo	nthDay Yea
MANUME	1/1/4	MI	710	VLN		\$1 <i>11</i> 1	513010
8. Transporter 2 Acknowledgement of Receipt of Materials	2/1	- (-)	1	/		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4307 3000 4
inted/Typed Name	Signature					Mo	nth Day Yea
		<u> </u>		<u> </u>	<u> </u>		
P. Discrepancy Indication Space		10 10 10				7	
		#:15 #:25	er e			\$ 5	
						Ž.	
		<u>.</u>	<u> </u>	er er die er Georgie			
D. Facility Owner or Operator Certification of receipt of hazard		nifest exce	ept as noted in	Item 19.			
inted/Typed Name	Signature					Мо	nth Day Yea
		35				25 L	1 1 1 1

DO NOT WRITE BELOW THIS LINE.

4/05/99 LAND DISPOSAL NOTIFICATION AND CLASSFICATION FORM Douglas Aircraft Company

Generator Name: Profile Number:

Menifese Doc. No.: 79708 State Manifest No: 20819708

The Committee

1. Is this waste a non-wastewater or wastewater? (See 40 CFR 268.2) Check ONE: Nonwastewater X Wastewater
2. Identify ALL USEPA hazardous waste codes that apply to this waste shipment, as defined by 40 CFR 261. For each waste code! identify the corresponding subcategory, or check NONE if the waste code has no subcategory. Spent solvent treatment standards are listed on the following page. If F039, multi-source leachate applies, those constituents must be listed and attached by the generator. If D001-D043 requires treatment of the characteristic and meet 268.48 standards, then the underlying hazardous constituent (8) present in the waste must be listed and attached.

REF). US EPA HAZARDOUS WASTE CODE(S)	4. SUBCATEGORY ENTER THE SUBCATEGORY DESCRIPTION. IF NOT APPLICABLE, SIMPLY CHECK NONE		
*		DESCRIPTION	NONE	FROM BELOW
:	D007		x	λ
2				-:
3				
۵				
Haz I£ To	ardous Consti no UMCs are p	or D001-D041, underlying hazardous constituent(s), use the "F039/Underlying tuent Form" provided (CWM-2004) and check here: resent in the waste upon its initial generation check here: X all USEPA waste code(s) and subcategorie(s), use the supplemental sheet provided (C	5M-2005	-8)

HOW MUST THE WASTE RE MANAGED? In column 5 above, enter the letter (A, B1, B3, B4, C, D or E) below that describes how the waste must be managed to comply with the land disposal regulations (49 CFR 268.7). Please understand that if you enterthe letter B1, B3, B4 or D, you are making the appropriate certification as provided below. (States authorized by EPA to manage the LDR program may have regulatory citations different from the 40 CFR citations listed below. Where these regulatory citations differ, your certification will be deemed to refer to those state citations instead of the 40 CFR citations.

RESTRICTED WASTE REQUIRES TREATMENT

This waste must be treated to the applicable treatment standards set forth in 40 CFR 258.40.

For Hazardous Debris. "This hazardous debris is subject to the alternative treatment standards of 40 CFR 258.45."

8.1 RESTRICTED WASTE TREATED TO PERFORMANCE STANDARDS "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operaction of the treatment process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information. I believe that the treatment process has been operated and maintained properly so as to comply with the treatment standards specified in 40 CFR 268.40 without impermissible dilution of the prehibited waste. (am aware there are significant penalties for submitting a false certification.

including the possibility of fine and imprisonment."

B.2 (Certification removed by Phase IV.)

B.3 GOOD FAITH ANALYTICAL CERTIFICATION FOR INCINERATED ORGANICS

I cortify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the nonwastewater organic constituents have been treated by combustion in units as specified in 258.42 Table 1. I have been unable to detect the nonwastewater organic constituents despite having used best good faith efforts to analyze for such constituents. I am aware that there are significant penalties for submitting a false certification, including the promibility of fine and imprisonment.

B.4 DECHARACTERIZED WASTE REQUIRES TREATMENT FOR UNDERLYING MAZARDOUS CONSTITUENTS "I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.40 to remove the hazardous characteristic. This decharacterized waste contains underlying hazardous constituents that require further treatment to meet universal treatment standards. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

RESTRICTED WASTE SUBJECT TO A VARIANCE

This waste is subject to a national capacity variance, a treatability variance, or a case-by-case extension. Enter the

effective date of prohibition in column 5 above.

For Hazardous Debris: "This hazardous debris is subject to the alternative creatment standards of 40 CPR Part 268.45."

RESTRICTED WASTE CAN BE LAND DISPOSED WITHOUT FURTHER TREATMENT "I certify under penalty of law I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR Part 268 Subpart D. I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including

the possibility of fine and imprisonment." WASTE IS NOT CURRENTLY SUBJECT TO PART 268 RESTRICTIONS This waste is a newly identified waste that is not currently subject to any 40 CFR Port 268 restrictions.	
 receive certainly that all information submitted in this and all associated documents is complete and accurate, to complete and information. Title 1990 Chemister Waste Management, Inc 08/98- Form CMM-2005-C	

FILMING FURY (FRANK IV) - RAVERSE

SOLVENT

FOOL, FOOL, FOOL, FOOL, and all plyent of citizeness will not be monitored by the treats then of constituent MUST be identified below by checking the appropriate box, and this page must accome by the best ment.

along with the previous page of this form. If the waste code FOOS describes this waste. Then recovered this form. constituents must be attached. If DOD. 2043 require treatment to 268.44 standards, then the un-.ying hazardous constituent(s) must also be ttached. SOLVEN" ASTE TREMENT STANDARDS FOOL through FOOS spent sol-F001 through F005 spent act-Landard Tr cment Sta ard vent constituents and their vent constituents and their .eatmen associated USEPA hazardous associated USEPA nazardous Wage Nonvascewaters waste code(s). MATCIS nwastewaters waste code(s) BEBMSEB. All spent colvent treatment clandards to measure through a total waste analysis (TCA), unless CEARS. red. Wastewater units are mg/1. nenwastewathr are mg/km. For contaminated soils using the alternative soil preatment standards, the treatment standards must be a 90% reduction of postituent or loss on 10 x the standards listed. - F001- 5 spent solvents 5 CATEGORY REFERENCE

D001:

•

A. Ignitable characteristic wastes, except for t.: 40 CFR 261.21(a)(1) High TOC subcategory,

B. High TOC Ignitable characteristic ! ...uids sub legory based on 40 CFR 261.21(a)(1) - Greater ... on or i to 10% total organic carbon.

Chemica laste Mar ament , Tac. - 08/98 - Form CWM-2005-C